

DECLARATION OF PERFORMANCE

No. SGST

1. PRODUCT

Strength graded timber fulfils requirements of EN 14081-1:2005+A1:2011.

2. IDENTIFICATION OF PRODUCT

Visually graded with minimal thickness of 20mm and cross section of 2000mm² (BS4978:2007+A2:2017) and machine strength graded (Dynagrade according to approved settings) with thickness in range for 34mm to 75mm and width in range from 60mm to 300mm softwood (WPPA) – Spruce (PCAB) and Pine (PNSY) timber, Dry Graded, with or without treatment with wood preservatives, with 4 machined surfaces.

3. INTENDED USE OF PRODUCT

Load bearing purposes in construction works.

4. MANUFACTURER

Company: Kurekss SIA
Address: "Graudupi" Tārgales pagasts,
Ventspils novads
LV-3621, Latvija
Telephone: +371 63624364
E-mail: mail@kurekss.lv
Web site: <http://www.kurekss.lv>

5. AUTHORISED REPRESENTATIVE

No authorised representatives involved.

6. SYSTEM OF ASSESSMENT AND VERIFICATION OF PERFORMANCE OF THE PRODUCT

System 2+

7. NOTIFIED BODY

The notified body BM Certification SIA (identification number NB2358) has performed an initial inspection of the manufacturing plant and of factory production control and performs continuous surveillance, assessment and evaluation of factory production control. Notified body has issued CE Certificate of Factory Production Control No. 2358-CPR-0236.

8. TECHNICAL ASSESSMENT BODY

No technical assessment body involved.

9. DECLARED PERFORMANCE

Essential characteristics	Declared Performance	Harmonised technical specification
Strength class (Machine graded)	C16 C18 C24 C27 C30 TR26	EN 14081-1:2005+A1:2011; EN 14081-2:2019+A1:2022; EN 14081-3:2022; EN 338:2016
Strength class (Visually graded)	C16 C24	EN 14081-1:2005+A1:2011; EN 1912:2012; EN338:2016; BS 4978:2007+A2:2017
Natural durability Against wood Destroying fungi	4-5	EN 350:2016
Preservative treatment (When used)	Tanalith E; Korasit KS2, UC2, NP1, UC3, NP2; NP5 UC4, NP5,	EN 351-1:2007; EN 15228:2009; EN 335:2013
Surface finish and tolerances	Rought sawn Tolerance class 1 or Planed 4 sides tolerance calss 2	EN 336:2013
Reaction to fire	D-s2, d0	EN 14081-1:2005+A1:2011 (Table 3)
Release of other dangerous substances	No dangerous substances to declare	-

10. ATTESTATION

Performance of products mentioned in 1st and 2nd point are in conformity with declared essential characteristics mentioned in 9th point.

This declaration of performance is issued under the sole responsibility of manufacturer defined in 4th point.

Signed in name of and on behalf of manufacturer:

Armands Tolkaņovs
member of the board

31.08.2022.